

**1****1**

# Standard Blind Rivet ALFO®

**ALFO®**



d	l <sub>+1</sub>		d <sub>k</sub>	d <sub>m</sub>	No.	
<b>4,8</b>	10,0	4,0 – 6,5	9,0 -0,5	2,7	10.700.480.100	500
	12,0	6,0 – 8,0			10.700.480.120	500
	14,0	7,5 – 10,0			10.700.480.140	500
	16,0	8,0 – 12,0			10.700.480.160	500
	20,0	12,0 – 15,5			10.700.480.200	500

EN AW - 5754 [AlMg3] 4,9 mm 1480 N 1950 N

d	l <sub>+1</sub>		d <sub>k</sub>	d <sub>m</sub>	No.	
<b>5,0</b>	8,0	2,0 – 5,0	9,3 -0,5	2,7	10.700.500.080	500
	10,0	4,0 – 6,5			10.700.500.100	500
	12,0	6,0 – 8,0			10.700.500.120	500
	14,0	7,5 – 10,0			10.700.500.140	500
	16,0	8,0 – 12,0			10.700.500.160	500
	18,0	11,5 – 13,5			10.700.500.180	500
	20,0	12,0 – 15,5			10.700.500.200	500
	25,0	15,0 – 20,5			10.700.500.250	500
	30,0	20,0 – 25,5			10.700.500.300	500

EN AW - 5754 [AlMg3] 5,1 mm 1650 N 2000 N

## Aluminium / Steel Large Dome Head - open-



d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>3,2</b>	6,0	1,5 – 3,5	9,5 ±0,3	1,2 +0,5	1,9	10.730.032.060	500
	8,0	3,0 – 5,5				10.730.032.080	500
	10,0	5,0 – 7,5				10.730.032.100	500
	12,0	7,0 – 9,0				10.730.032.120	500

EN AW - 5754 [AlMg3] 3,3 mm 580 N 850 N

d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>4,0</b>	6,0	1,0 – 3,5	12,0 ±0,3	1,5 ±0,5	2,0	10.750.040.060	500
	8,0	3,0 – 5,5				10.750.040.080	500
	10,0	5,0 – 7,0				10.750.040.100	500
	12,0	6,5 – 9,0				10.750.040.120	500
	16,0	8,5 – 12,5				10.750.040.160	500
	18,0	12,0 – 14,5				10.750.040.180	500

EN AW - 5754 [AlMg3] 4,1 mm 1120 N 1900 N

d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>4,8</b>	8,0	2,0 – 5,0	16,0 ±0,3	1,8 ±0,5	2,7	10.770.048.080	500
	10,0	4,0 – 6,5				10.770.048.100	500
	12,0	6,0 – 8,0				10.770.048.120	500
	16,0	7,5 – 12,0				10.770.048.160	500
	18,0	11,5 – 13,5				10.770.048.180	500
	20,0	12,0 – 15,5				10.770.048.200	250

EN AW - 5754 [AlMg3] 4,9 mm 1480 N 2200 N

d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>5,0</b>	8,0	2,0 – 5,0	11,0 ±0,3	1,5 +0,5	2,7	10.740.050.080	500
	10,0	4,0 – 6,5				10.740.050.100	500
	12,0	6,0 – 8,0				10.740.050.120	500
	14,0	7,5 – 10,0				10.740.050.140	500
	16,0	8,0 – 12,0				10.740.050.160	500
	18,0	11,5 – 13,5				10.740.050.180	500
	20,0	12,0 – 15,5				10.740.050.200	500
	25,0	15,0 – 20,5				10.740.050.250	500
	30,0	20,0 – 25,0				10.740.050.300	500

EN AW - 5754 [AlMg3] 5,1 mm 1650 N 2500 N

d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>5,0</b>	8,0	2,0 – 5,0	14,0 ±0,3	1,5 +0,5	2,7	10.760.050.080	500
	10,0	4,0 – 6,5				10.760.050.100	500
	12,0	6,0 – 8,0				10.760.050.120	500
	14,0	7,5 – 10,0				10.760.050.140	500
	16,0	8,0 – 12,0				10.760.050.160	500
	18,0	11,5 – 13,5				10.760.050.180	500
	20,0	12,0 – 15,5				10.760.050.200	500
	25,0	15,0 – 20,5				10.760.050.250	250
	30,0	20,0 – 25,0				10.760.050.300	250

EN AW - 5754 [AlMg3] 5,1 mm 1650 N 2500 N

d	l <sub>+1</sub>		d <sub>k</sub>	k	d <sub>m</sub>	No.	
<b>5,0</b>	10,0	2,0 – 6,5	16,0 ±0,3	1,8 +0,5	2,7	10.770.050.100	500
	16,0	6,0 – 12,0				10.770.050.160	500
	20,0	11,5 – 15,5				10.770.050.200	250
	25,0	15,0 – 20,5				10.770.050.250	250
	33,0	20,0 – 28,0				10.770.050.330	250

EN AW - 5754 [AlMg3] 5,1 mm 1650 N 2500 N